

2011-12 INTRODUCTION TO COHHO HYPOTHERMIA CHART

The 2011-12 **COHHO** Hypothermia Chart records for each day

the High and Low temperature,

the Humidity, Precipitation, and Wind Chill;

whether an Alert was called;

the Total Number of clients served;

total Men; total Women; total Family Units; and total Persons in Families;

whether the hypothermia shelters were open and any exceptions;

whether the seasonal beds and shelters were open and any exceptions;

whether the system as a whole was at (letter) or over (letter and number) Capacity
for Men, Women or Families;

by how much any individual shelter was overcapacity (SOC);

followed by Notes.

The Notes include when and by how many the Family Unit capacity at DC General was increased, according to the daily census forms.

The shelters and their identifying symbols are shown in the table on the reverse.

SHELTERS

MEN	YR	SEAS	HYPO	SYMBOL
801 East	380	52		E
Adams Place	150	30		none
CCNV Drop-In Center		135		D
CCNV 3-South		44		Z
New York Avenue	360			A
Banneker Recreation Center			40	B
First Rising Baptist			25	none
Sacred Heart Church			50	S
St. Luke's Church			30	L
DC General Cafeteria			35	R

WOMEN

CCNV 2-South		48		none
Harriet Tubman	100			none
Hermano Pedro	20			P
John Young	85			none
Open Door 12 Hour	108			none
Hermano Pedro Hypothermia			6	H
New Covenant Church			25	K
Open Door Hypothermia			10	T

FAMILY

Community Based Units	6			none
DC General Hospital	153+120			G
Girard Street	16			none
Naylor Road	28			none
Park Road	45			none
Spring Road	28			none
Congregation Based	7			none

DATE	HIGH	LOW	HUM	PREC	WC	AL	TOTAL	MEN	WMN	F U	F P	HYPO	SEAS	CAP	SOC	NOTES
10/25/2011	68	49	89%	0.13	47	N	2073	887	312	269	874	C	C			
10/26/2011	68	52	77%	0.01	52	N	2107	890	313	278	904	C	C	MW		
10/27/2011	64	57	96%	0.13	42	N	2109	890	310	279	909	C	C	M		
10/28/2011	52	41	67%	Trace	35	Y	2134	906	309	282	919	C	C	M16	A18	
10/29/2011	42	34	93%	1.23	25	Y	2117	899	305	281	913	C	C	M9	A11E9P2	
10/30/2011	55	35	85%	0.03	26	N	2108	890	305	281	913	C	C	M		
10/31/2011	56	36	89%	0	33	N	2114	890	305	283	919	C	C	M		
11/1/2011	61	44	86%	Trace	39	N	2144	899	313	284	932	C	C	M9W	E9	
11/2/2011	60	41	68%	0	41	N	2138	899	313	283	926	C	C	M9W	E9	
11/3/2011	64	44	82%	0	42	N	2120	882	310	284	928	C	C			
11/4/2011	59	50	89%	0	36	N	2119	879	311	284	929	C	C			
11/5/2011	53	38	59%	0	30	N	2127	886	313	284	928	C	C	W		
11/6/2011	59	37	85%	0	32	N	2126	886	312	284	928	C	C		A6	
11/7/2011	67	40	100%	0	40	N	2148	906	313	285	929	C	C	M16W	A16	
11/8/2011	68	41	91%	0	39	N	2147	906	312	285	929	C	C	M16	A19	
11/9/2011	64	42	92%	0	42	N	2134	896	311	287	927	C	C	M6	A8	
11/10/2011	59	48	100%	0.05	37	Y	2229	973	317	290	939	O	OxZ			
11/11/2011	50	41	62%	0.01	33	Y	2141	886	316	290	939	C	OxZ			
11/12/2011	63	33	81%	0	27	N	2130	876	316	290	938	C	OxZ			
11/13/2011	64	44	67%	0	39	N	2144	890	316	290	938	C	OxZ			
11/14/2011	73	54	71%	0	54	N	2145	890	316	290	939	C	OxZ			
11/15/2011	68	61	69%	Trace	57	N	2166	909	315	291	942	C	OxZ		A25	
11/16/2011	59	55	100%	0.4	55	N	2189	935	315	298	939	C	OxZ		A8	
11/17/2011	53	44	85%	0.15	28	Y	2275	1007	336	286	932	O	OxZ		H2	
11/18/2011	48	34	45%	0	28	Y	2278	1000	336	289	942	O	OxZ			
11/19/2011	55	37	60%	0	29	N	2181	910	324	291	947	C	OxZ			
11/20/2011	65	50	73%	0	51	N	2181	910	324	291	947	C	OxZ			
11/21/2011	64	53	100%	0.06	47	N	2182	925	324	287	933	C	OxZ		A22	
11/22/2011	56	50	100%	0.53	47	N	2118	900	324	275	894	C	OxZ			
11/23/2011	64	50	100%	0.33	35	Y	2192	928	339	286	925	O	OxZ			
11/24/2011	61	38	75%	Trace	34	N	2080	825	330	286	925	C	OxZ			
11/25/2011	63	38	82%	0	35	N	2088	832	331	286	925	C	OxZ		P3	
11/26/2011	61	39	85%	0	35	N	2065	808	332	286	925	C	OxZ		P2	
11/27/2011	72	46	86%	0	44	N	2097	842	330	286	925	C	OxZ			
11/28/2011	71	51	89%	0	51	N	2157	903	331	285	923	C	OxZ		P1	
11/29/2011	66	52	93%	0.41	39	N	2169	921	332	284	916	C	OxZ		P2	
11/30/2011	51	40	82%	0	33	Y	2314	1030	357	287	927	O	OxZ			
12/1/2011	52	38	62%	0	29	N	2156	901	332	285	923	C	OxZ	W2	P2	
12/2/2011	55	34	86%	0	33	Ymid	2190	924	331	289	935	O	OxZ			
12/3/2011	51	35	75%	0	31	N	2132	867	332	288	933	C	OxZ			
12/4/2011	55	37	89%	0	37	N	2162	894	335	288	933	C	OxZ	W3	P3	
12/5/2011	60	42	92%	0	39	N	2165	902	335	286	928	C	OxZ	W3	P3	
12/6/2011	61	55	100%	0.21	55	N	2201	938	336	286	927	C	OxZ	W4	A12P4	
12/7/2011	60	52	100%	2.11	37	Y	2342	1070	352	288	920	O	OxZ			
12/8/2011	45	35	79%	1.02	28	Y	2357	1088	362	284	907	O	OxZ			
12/9/2011	51	34	84%	0	32	Y	2262	1019	335	281	908	O	OxZ			
12/10/2011	47	37	70%	0	25	Y	2293	1036	345	283	912	O	OxZ			
12/11/2011	43	29	66%	0	23	Y	2347	1084	351	283	912	O	OxZ		A7	
12/12/2011	46	29	81%	0	23	Y	2421	1136	368	288	917	O	OxZ		A15	
12/13/2011	52	30	88%	0	23	Y	2378	1099	364	287	915	O	OxZ			
12/14/2011	50	38	82%	Trace	38	N	2187	920	351	286	916	C	OxZ	W3	P3	

12/15/2011	63	43	73%	0.01	39	N	2204	940	348	286	916	C	OxZ	W		
12/16/2011	62	44	77%	0	35	Y	2307	1027	355	288	925	O	OxZ			
12/17/2011	43	38	62%	0	31	Y	2290	1003	360	289	927	O	OxZ			
12/18/2011	44	32	66%	Trace	26	Y	2375	1084	364	289	927	O	OxZ			
12/19/2011	52	29	88%	0	24	N	2212	935	350	289	927	C	OxZ			
12/20/2011	57	45	65%	0	44	N	2217	938	352	289	927	C	OxZ	W1	A10P1	
12/21/2011	60	47	100%	0.12	45	N	2198	920	351	289	927	C	OxZ	W		
12/22/2011	62	46	93%	Trace	46	N	2219	939	353	289	927	C	OxZ	W2	P2	
12/23/2011	53	48	93%	0.82	33	N	2197	918	349	290	930	C	OxZ			
12/24/2011	46	41	76%	Trace	32	Y	2179	917	346	287	916	C	OxZ			
12/25/2011	48	34	86%	0	28	Y	2235	973	346	287	916	O	OxZ			
12/26/2011	50	37	55%	0	34	N	2306	1019	355	290	932	O	OxZ			
12/27/2011	55	39	93%	0.5	35	N	2227	951	344	290	932	C	OxZ		P1	F+1
12/28/2011	49	41	78%	0.11	25	Y	2373	1073	365	290	935	O	OxZ			
12/29/2011	44	31	66%	0	27	Y	2395	1074	375	294	946	O	OxZ			F+1
12/30/2011	54	35	78%	0	33	N	2184	880	356	294	948	C	OxZ			
12/31/2011	62	46	79%	Trace	40	N	2121	817	356	294	948	C	OxZ			
1/1/2012	60	38	92%	Trace	34	Y	2234	921	365	294	948	O	OxZ			
1/2/2012	49	36	46%	0.01	22	Y	2392	1064	380	294	948	O	OxZ			
1/3/2012	34	28	56%	Trace	12	Y	2489	1158	385	293	946	O	OxZ			
1/4/2012	33	17	48%	0	4	Y	2496	1173	386	291	937	O	OxZ		H2	
1/5/2012	50	30	72%	0	27	Y	2505	1185	379	292	941	O	O		S7	
1/6/2012	63	33	78%	0	27	Y	2371	1057	377	291	937	O	O			
1/7/2012	68	36	85%	0	30	Y	2309	1000	372	291	937	O	O			
1/8/2012	52	41	54%	0	37	N	2255	964	354	291	937	C	O			
1/9/2012	40	33	93%	0.11	28	Y	2472	1147	387	291	938	O	O			
1/10/2012	54	32	95%	0.05	24	Y	2483	1162	380	292	941	O	O			
1/11/2012	46	33	93%	0.04	27	N	2336	987	359	304	990	C	O			F+13
1/12/2012	57	44	100%	0.71	40	N	2474	1113	371	304	990	O	O			
1/13/2012	51	36	83%	0.5	19	Y	2549	1182	377	306	990	O	O		H2	
1/14/2012	39	27	55%	0	21	Y	2510	1141	384	304	985	O	O		H1	F+1
1/15/2012	36	27	55%	0	16	Y	2577	1201	387	305	989	O	O		H1	F+1
1/16/2012	41	25	80%	0	17	Y	2605	1236	389	302	980	O	O		S3B1H4	
1/17/2012	58	40	88%	0.29	35	Y	2560	1180	388	306	992	O	O		H4	
1/18/2012	58	37	74%	0	26	Y	2615	1238	391	303	986	O	O		S3H4	F+3
1/19/2012	40	25	57%	0	18	Y	2627	1233	396	307	998	O	O		S5B6H3	
1/20/2012	40	34	67%	0	24	Y	2608	1218	392	307	998	O	O		S7B6H4	
1/21/2012	34	28	92%	0.28	20	Y	2575	1183	394	307	998	O	O		S3H4	
1/22/2012	32	30	81%	Trace	20	Y	2596	1193	405	307	998	O	O	W3	P7H4K1	
1/23/2012	38	32	100%	0.03	26	N	2493	1098	403	305	992	OxDRHT	O	W17	S3P17	
1/24/2012	54	43	96%	0	35	N	2337	984	368	304	985	C	O	W7	P7	
1/25/2012	49	36	75%	0	29	N	2338	990	363	302	985	C	O	W2	P2	
1/26/2012	55	40	87%	Trace	37	N	2327	977	364	304	986	C	O	W3	P3	
1/27/2012	62	51	100%	0.63	38	N	2310	960	364	303	986	C	O	W3	P3	
1/28/2012	53	33	81%	0	30	N	2288	939	363	303	986	C	O	W2	P2	
1/29/2012	49	32	51%	0	26	Y	2502	1122	374	308	1006	O	O			
1/30/2012	48	34	51%	0	27	Y	2529	1162	383	303	984	O	O			
1/31/2012	65	39	57%	0	35	N	2387	989	359	320	1039	C	O		G10	
2/1/2012	72	48	73%	0.02	44	N	2371	974	361	321	1036	C	O	W	G8	
2/2/2012	58	48	92%	0.09	34	N	2373	983	363	318	1027	C	O	W2	P2G6	
2/3/2012	52	37	64%	0	30	N	2332	924	359	318	1049	C	O		G8	
2/4/2012	46	35	85%	0.01	30	Y	2450	1039	362	318	1049	O	O		G8	

3/28/2012	72	46	52%	0.01	40	N	2587	976	339	406	1272	C	O	
3/29/2012	70	56	57%	Trace	46	N	2579	973	339	404	1267	C	O	
3/30/2012	54	43	62%	Trace	39	N	2550	937	340	404	1273	C	O	W
3/31/2012	62	49	87%	0	46	N	2551	942	340	404	1269	C	O	W
4/1/2012	63	47	79%	0	44	N	2462	886	313	406	1263	C	C	W
4/2/2012	62	47	93%	0.15	41	N	2466	890	313	406	1263	C	C	MW
4/3/2012	72	42	65%	0	41	N	2471	890	313	405	1268	C	C	MW
4/4/2012	75	53	71%	0	53	N	2477	890	313	407	1274	C	C	MW